



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell
Precision WorkStation 530 (2.4 GHz Xeon)

SPECint_rate2000 = 17.7
SPECint_rate_base2000 = 17.2

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Apr-2002 | Hardware Avail: Apr-2002 | Software Avail: Jun-2001

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	158	20.5	2	155	21.0
175.vpr	2	346	9.38	2	333	9.74
176.gcc	2	141	18.1	2	141	18.1
181.mcf	2	482	8.66	2	482	8.66
186.crafty	2	125	18.5	2	124	18.7
197.parser	2	235	17.8	2	233	17.9
252.eon	2	119	25.4	2	102	29.5
253.perlbnk	2	166	25.2	2	166	25.2
254.gap	2	120	21.3	2	117	21.8
255.vortex	2	170	26.0	2	151	29.2
256.bzip2	2	260	13.4	2	259	13.4
300.twolf	2	501	13.9	2	499	14.0

Hardware

CPU: Intel Xeon (400 MHz system bus)
 CPU MHz: 2400
 FPU: Integrated
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
 CPU(s) orderable: 1, 2
 Parallel: No
 Primary Cache: 12K(I) micro-ops + 8KB(D) on chip
 Secondary Cache: 512KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 2 x 256MB PC800 ECC RDRAM
 Disk Subsystem: 1 x 9GB Fujitsu 10K U160
 Other Hardware:

Software

Operating System: Windows 2000 Professional (SP2)
 Compiler: Intel C++ Compiler 5.0.1 (020125Z)
 Microsoft Visual C++ 6.0 (SP5)
 MicroQuill SmartHeap Library 5.0
 File System: NTFS
 System State: Default

Notes/Tuning Information

PORTABILITY FLAGS

176.gcc: -Dalloca=_alloca /F10000000
 186.crafty: -DNT_i386
 253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
 254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

FEEDBACK-DIRECTED OPTIMIZATION

FDO: PASS1= -Qprof_gen PASS2= -Qprof_use

BASE TUNING

C: -Qipo +FDO -QxW shlw32M.lib
 C++: -Qipo -QxW -GX -GR

PEAK TUNING

164.gzip: -Qipo +FDO -QxW -Oi- -Oa
 175.vpr: -Qwp_ipo +FDO -QxW
 176.gcc: -Qipo +FDO -QxW shlw32M.lib
 181.mcf: -Qipo +FDO -QxW shlw32M.lib
 186.crafty: -Qipo +FDO -QxW -Oa shlw32M.lib
 197.parser: -Qipo +FDO -QxW
 252.eon: -Qipo +FDO -QxW
 253.perlbnk: -Qipo +FDO -QxW shlw32M.lib
 254.gap: -Qipo +FDO -QaxW



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell
Precision WorkStation 530 (2.4 GHz Xeon)

SPECint_rate2000 = 17.7
SPECint_rate_base2000 = 17.2

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Apr-2002 | Hardware Avail: Apr-2002 | Software Avail: Jun-2001

Notes/Tuning Information (Continued)

```
255.vortex: -Qwp_ipo +FDO -QxW -Oa
256.bzip2:  -Qipo +FDO -QxW shlw32M.lib
300.twolf:  -Qipo +FDO -QxW shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 5.0
              www.microquill.com
```