



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Apple Computer, Inc.

Xserve (3000 MHz Intel Dual-Core Xeon, 1333 MHz FSB)

SPECint®2006 = **Not Run**

SPECint\_base2006 = **16.6**

CPU2006 license: 77


Test sponsor: Apple Computer, Inc.

Tested by: Apple Computer, Inc.

Test date: Nov-2006

Hardware Availability: Nov-2006

Software Availability: Nov-2006



### Hardware

CPU Name: Intel Xeon 5160  
 CPU Characteristics: 1333 MHz FSB  
 CPU MHz: 3000  
 FPU: Integrated  
 CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip  
 CPU(s) orderable: 2 cpus  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 4 MB I+D on chip per chip  
 L3 Cache: None  
 Other Cache: None  
 Memory: 4 GB (4x1GB, DDR2 FB-DIMM 667 MHz)  
 Disk Subsystem: 80GB SATA  
 Other Hardware: None

### Software

Operating System: Mac OS X Server 10.4.8, Build 8N1200  
 Compiler: Intel C++ Compiler for Mac OS X v9.1  
 Intel Fortran Compiler for Mac OS X v9.1  
 Build 20060928 (032)  
 Auto Parallel: No  
 File System: Journaled HFS+  
 System State: Default  
 Base Pointers: 32-bit  
 Peak Pointers: Not Applicable  
 Other Software: None



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Apple Computer, Inc.

Xserve (3000 MHz Intel Dual-Core Xeon, 1333 MHz FSB)

SPECint2006 = **Not Run**

SPECint\_base2006 = **16.6**

CPU2006 license: 77

Test sponsor: Apple Computer, Inc.

Tested by: Apple Computer, Inc.

Test date: Nov-2006

Hardware Availability: Nov-2006

Software Availability: Nov-2006

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	530	18.4	<b><u>531</u></b>	<b><u>18.4</u></b>	532	18.4						
401.bzip2	623	15.5	633	15.2	<b><u>632</u></b>	<b><u>15.3</u></b>						
403.gcc	638	12.6	643	12.5	<b><u>642</u></b>	<b><u>12.5</u></b>						
429.mcf	429	21.2	432	21.1	<b><u>431</u></b>	<b><u>21.1</u></b>						
445.gobmk	<b><u>537</u></b>	<b><u>19.5</u></b>	537	19.5	537	19.5						
456.hammer	740	12.6	740	12.6	<b><u>740</u></b>	<b><u>12.6</u></b>						
458.sjeng	<b><u>679</u></b>	<b><u>17.8</u></b>	678	17.9	679	17.8						
462.libquantum	<b><u>1272</u></b>	<b><u>16.3</u></b>	1272	16.3	1273	16.3						
464.h264ref	664	33.3	<b><u>665</u></b>	<b><u>33.3</u></b>	666	33.2						
471.omnetpp	<b><u>645</u></b>	<b><u>9.68</u></b>	646	9.68	645	9.69						
473.astar	534	13.2	535	13.1	<b><u>534</u></b>	<b><u>13.1</u></b>						
483.xalancbmk	361	19.1	362	19.1	<b><u>361</u></b>	<b><u>19.1</u></b>						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## General Notes

Boot ROM Version: XS11.0076.B00  
SMC Version: 1.11f4

### Memory Details:

BRANCH 0 CHANNEL 0/DIMM 1: 1 GB DDR2 FB-DIMM 667 MHz  
BRANCH 0 CHANNEL 1/DIMM 2: 1 GB DDR2 FB-DIMM 667 MHz  
BRANCH 1 CHANNEL 0/DIMM 3: 1 GB DDR2 FB-DIMM 667 MHz  
BRANCH 1 CHANNEL 1/DIMM 4: 1 GB DDR2 FB-DIMM 667 MHz

## Base Compiler Invocation

C benchmarks:  
icc

C++ benchmarks:  
icpc

## Base Portability Flags

403.gcc: -DSPEC\_CPU\_MACOSX  
462.libquantum: -DSPEC\_CPU\_MACOSX  
483.xalancbmk: -DSPEC\_CPU\_MACOSX



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Apple Computer, Inc.**

Xserve (3000 MHz Intel Dual-Core Xeon, 1333 MHz FSB)

**SPECint2006 = Not Run**

**SPECint\_base2006 = 16.6**

**CPU2006 license:** 77

**Test sponsor:** Apple Computer, Inc.

**Tested by:** Apple Computer, Inc.

**Test date:** Nov-2006

**Hardware Availability:** Nov-2006

**Software Availability:** Nov-2006

## Base Optimization Flags

C benchmarks:  
-fast

C++ benchmarks:  
-fast

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/macosx-iccifort-v91-flags.20090715.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/macosx-iccifort-v91-flags.20090715.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Jul 22 10:10:15 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 12 December 2006.