



SPEC[®] CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Bull SAS

SPECint[®]_rate2006 = 82.8

NovaScale 3045
(1.6GHz/18MB Dual-Core Intel Itanium 2)

SPECint_rate_base2006 = 78.6

CPU2006 license: 20


Test date: Apr-2007

Test sponsor: Bull SAS

Hardware Availability: Oct-2006

Tested by: Bull SAS

Software Availability: Nov-2006



Hardware

CPU Name: Dual-Core Intel Itanium 2 9040
 CPU Characteristics: 1.6GHz/18MB, 533MHz FSB
 CPU MHz: 1600
 FPU: Integrated
 CPU(s) enabled: 8 cores, 4 chips, 2 cores/chip
 CPU(s) orderable: 1-4 chips
 Primary Cache: 16 KB I + 16 KB D on chip per core
 Secondary Cache: 1 MB I + 256 KB D on chip per core
 L3 Cache: 9 MB I+D on chip per core
 Other Cache: None
 Memory: 64 GB (32x2GB DIMMs)
 Disk Subsystem: 2x73 GB 15K RPM SAS
 Other Hardware: None

Software

Operating System: Red Hat Enterprise Linux AS release 4 (Update 4)
 Compiler: Intel C++ Compiler 9.1 for Linux (Build 20061105)
 Auto Parallel: No
 File System: ext3
 System State: Multi-user
 Base Pointers: 64-bit
 Peak Pointers: 64-bit
 Other Software: MicroQuill Smartheap 8.0



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Bull SAS

NovaScale 3045
(1.6GHz/18MB Dual-Core Intel Itanium 2)

SPECint_rate2006 = 82.8

SPECint_rate_base2006 = 78.6

CPU2006 license: 20
Test sponsor: Bull SAS
Tested by: Bull SAS

Test date: Apr-2007
Hardware Availability: Oct-2006
Software Availability: Nov-2006

Results Table

Benchmark	Base						Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	1167	67.0	<u>1136</u>	<u>68.8</u>	1112	70.3	8	932	83.9	<u>933</u>	<u>83.8</u>	939	83.3
401.bzip2	8	1093	70.6	1092	70.7	<u>1092</u>	<u>70.7</u>	8	1085	71.1	1094	70.6	<u>1088</u>	<u>71.0</u>
403.gcc	8	1276	50.5	<u>1299</u>	<u>49.6</u>	1302	49.4	8	<u>1181</u>	<u>54.5</u>	1179	54.6	1196	53.8
429.mcf	8	1266	57.6	1287	56.7	<u>1273</u>	<u>57.3</u>	8	1266	57.6	1287	56.7	<u>1273</u>	<u>57.3</u>
445.gobmk	8	1044	80.4	1049	80.0	<u>1046</u>	<u>80.2</u>	8	927	90.5	<u>927</u>	<u>90.5</u>	931	90.2
456.hmmer	8	<u>366</u>	<u>204</u>	366	204	366	204	8	<u>366</u>	<u>204</u>	366	204	366	204
458.sjeng	8	<u>1457</u>	<u>66.5</u>	1455	66.5	1457	66.4	8	<u>1291</u>	<u>75.0</u>	1290	75.0	1291	75.0
462.libquantum	8	1122	148	1155	144	<u>1135</u>	<u>146</u>	8	1122	148	1155	144	<u>1135</u>	<u>146</u>
464.h264ref	8	1155	153	1155	153	<u>1155</u>	<u>153</u>	8	1155	153	1155	153	<u>1155</u>	<u>153</u>
471.omnetpp	8	1437	34.8	1440	34.7	<u>1438</u>	<u>34.8</u>	8	1385	36.1	1386	36.1	<u>1386</u>	<u>36.1</u>
473.astar	8	733	76.6	722	77.8	<u>730</u>	<u>76.9</u>	8	708	79.3	<u>707</u>	<u>79.4</u>	701	80.2
483.xalancbmk	8	888	62.2	<u>890</u>	<u>62.0</u>	896	61.6	8	<u>873</u>	<u>63.3</u>	869	63.5	876	63.0

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

stacksize set to unlimited prior to run

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Base Portability Flags

```

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_IA64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
471.omnetpp: -DSPEC_CPU_LP64

```

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Bull SAS

NovaScale 3045
(1.6GHz/18MB Dual-Core Intel Itanium 2)

SPECint_rate2006 = 82.8

SPECint_rate_base2006 = 78.6

CPU2006 license: 20
Test sponsor: Bull SAS
Tested by: Bull SAS

Test date: Apr-2007
Hardware Availability: Oct-2006
Software Availability: Nov-2006

Base Portability Flags (Continued)

473.astar: -DSPEC_CPU_LP64
483.xalancbmk: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:
-fast -IPF_fp_relaxed -ansi-alias

C++ benchmarks:
-fast -IPF_fp_relaxed -ansi-alias -Wl,-z,muldefs
/opt/SmartHeap_8/lib/libsmartheapC64.a
/opt/SmartHeap_8/lib/libsmartheap64.a

Peak Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Peak Portability Flags

Same as Base Portability Flags

Peak Optimization Flags

C benchmarks:

400.perlbench: -prof_gen(pass 1) -prof_use(pass 2) -fast -IPF_fp_relaxed
-ansi-alias

401.bzip2: Same as 400.perlbench

403.gcc: Same as 400.perlbench

429.mcf: basepeak = yes

445.gobmk: Same as 400.perlbench

456.hmmer: basepeak = yes

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Bull SAS

SPECint_rate2006 = 82.8

NovaScale 3045
(1.6GHz/18MB Dual-Core Intel Itanium 2)

SPECint_rate_base2006 = 78.6

CPU2006 license: 20
Test sponsor: Bull SAS
Tested by: Bull SAS

Test date: Apr-2007
Hardware Availability: Oct-2006
Software Availability: Nov-2006

Peak Optimization Flags (Continued)

458.sjeng: Same as 400.perlbench

462.libquantum: basepeak = yes

464.h264ref: basepeak = yes

C++ benchmarks:

471.omnetpp: -prof_gen(pass 1) -prof_use(pass 2) -fast -IPF_fp_relaxed
-ansi-alias -Wl,-z,muldefs
/opt/SmartHeap_8/lib/libsmartheapC64.a
/opt/SmartHeap_8/lib/libsmartheap64.a

473.astar: -prof_gen(pass 1) -prof_use(pass 2) -fast -IPF_fp_relaxed
-ansi-alias -inline-factor=150 -Wl,-z,muldefs
/opt/SmartHeap_8/lib/libsmartheapC64.a
/opt/SmartHeap_8/lib/libsmartheap64.a

483.xalancbmk: Same as 471.omnetpp

The flags file that was used to format this result can be browsed at

http://www.spec.org/cpu2006/flags/IA64_Intel91_flags.html

You can also download the XML flags source by saving the following link:

http://www.spec.org/cpu2006/flags/IA64_Intel91_flags.xml

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 12:10:39 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 15 May 2007.