



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~SPECint_rate2006 = 10~~

~~SPECint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

	Copies
400.perlbench	
401.bzip2	
403.gcc	
429.mcf	
445.gobmk	
456.hmmer	
458.sjeng	
462.libquantum	
464.h264ref	
471.omnetpp	
473.astar	
483	

	Hardware	Software
CPU Name:	Intel Xeon E5607	Red Hat Enterprise Linux Server release 6.1, Kernel 2.6.32-131.0.15.el6.x86_64
CPU Characteristics:		C/C++: Version 12.1.0.225 of Intel Compiler XE
CPU MHz:	2267	Build 20110803
FPU:	Integrated	No
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip	ext3
CPU(s) orderable:	1,2 chips	Run level 3 (multi-user)
Primary Cache:	32 KB I + 32 KB D on chip per core	

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

~~SPECint_rate2006 = NC~~

~~SPECint_rate_base2006 = NC~~

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

Secondary Cache:	256 KB I+D on chip per core	Base Pointers:	32-bit
L3 Cache:	8 MB I+D on chip per chip	Link Pointers:	32/64-bit
Other Cache:	None	Other Software:	Microquill SmartHeap V9.01
Memory:	48 GB (12 x 4 GB 2Rx4 PC3-10600R-9, ECC)		
Disk Subsystem:	1 x 146 GB 15 K SAS		
Other Hardware:	None		

Results Table

Benchmark	Baseline						Peak					
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
401.bzip2	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
403.gcc	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
429.mcf	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
445.gobmk	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
456.hmmer	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
458sjeng	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
462.libquantum	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
464.h264ref	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
471.omnetpp	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
473.astar	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC
483.xalancbmk	8	NC	NC	NC	NC	NC	NC	8	NC	NC	NC	NC

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.
numactl was used to bind copies to the cores



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~Specint_rate2006 = NC~~

~~Specint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

Operating System Notes

Stack size set to unlimited using "ulimit -s unlimited"

Transparent Huge Pages enabled with:

echo always > /sys/kernel/mm/redhat_transparent_hugepage/enabled

Filesystem page cache cleared with:

echo 1> /proc/sys/vm/drop_caches

runspec command invoked through numactl i.e.:

numactl --interleave=all runspec <etc>

Platform Notes

BIOS configuration:

HP Power Profile set to Maximum Performance

Thermal Configuration set to Increased Cooling

Data Reuse set to Disable

General Notes

Environment variables set by runspec before the start of the run:

LD_LIBRARY_PATH = "/cpu2006/smarcheap:/cpu2006/ic12.1-libs/ia32:/cpu2006/ic12.1-libs/intel64"

Base Compiler Invocation

C benchmarks:

C++ benchmarks:
icc -m32

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32

462.libquantum: -DSPEC_CPU_LINUX

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~Specint_rate2006 = NC~~

~~Specint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

Base Portability Flags (Continued)

483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:

-xSSE4.2 -ipo -O3 -no-prec-div -opt-prefetch -opt-mem-layout-trans=3

C++ benchmarks:

-xSSE4.2 -ipo -O3 -no-pre-div -opt-prefetch -opt-mem-layout-trans=3
-Wl,-z,muldefs -L/smartheap -lsmartheap

Base Other Flags

C benchmarks:

403.gcc: -Dalloca -fca=alloca

Peak Compiler Invocation

Peak compiler invocation (as noted below):

icc -m32

400.perlbench: icc -m64

401.bzip2: icc -m64

456.hmmer: icc -m64

458.sjeng: icc -m64

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~SPECint_rate2006 = NC~~

~~SPECint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

Peak Compiler Invocation (Continued)

C++ benchmarks:
icpc -m32

Peak Portability Flags

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LINUX
483.xalancbmk: -DSPEC_CPU_LINUX

Peak Optimization Flags

C benchmarks:

400.perlbench: -xSSE4_2(pass 2) -prof-gen(pass 1) -ipo(pass 2)
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)
-auto-ilp32
401.bzip2: -xSSE4_2(pass 2) -prof-gen(pass 1) -ipo(pass 2)
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)
-opt-prefetch -auto-ilp32 -ansi-alias
403.gcc: -xSSE4_2 -ipo -O3 -no-prec-div
429.mcf: basepeak = yes
445.gobmk: -xSSE4_2(pass 2) -prof-gen(pass 1) -prof-use(pass 2)
-ansi-alias -opt-mem-layout-trans=3
456.hmmer: -xSSE4_2 -ipo -O3 -no-prec-div -unroll12 -auto-ilp32

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~Specint_rate2006 = NC~~

~~Specint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

Peak Optimization Flags (Continued)

458.sjeng: -xSSE4_2(pass 2) -prof-gen(pass 1) -ipo(pass 2)
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)
-unroll14 -auto-ilp32

462.libquantum: basepeak = yes

464.h264ref: -xSSE4_2(pass 2) -prof-gen(pass 1) -ipo(pass 2)
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)
-unroll12 -ansi -alias

C++ benchmarks:

471.omnetpp: -xSSE4_2(pass 2) -prof-gen(pass 1) -ipo(pass 2)
-O3(pass 2) -no-prec-div(pass 2) -prof-use(pass 2)
-ansi -fno-opt-ra-region-strategy=block -Wl,-z,muldefs
-L/smarter -lsmartheap

473.astar: basepeak = yes

483.xalancbmk: basepeak = yes

Peak Other Flags

403.gcc: -Dalloca=_alloca

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/HP-Intel-Linux-Settings-flags.20111122.html>
<http://www.spec.org/cpu2006/flags/Intel-ic12.1-linux64.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/HP-Intel-Linux-Settings-flags.20111122.xml>
<http://www.spec.org/cpu2006/flags/Intel-ic12.1-linux64.xml>



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G7
(2.26 GHz, Intel Xeon E5607)

CPU2006 license: 3

Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

~~SPECint_rate2006 = 10~~

~~SPECint_rate_base2006 = NC~~

Test date: Oct-2011

Hardware Availability: Feb-2011

Software Availability: Sep-2011

SPEC has determined that this result was not in compliance with the SPEC CPU2006 run and reporting rules. Specifically, the submitter reported that the result would not meet the 3 month availability requirement in the SPEC CPU2006 run rules due to a change in the availability of the system.

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.

Report generated on Thu Jul 24 01:05:33 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 12 December 2011.