



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Sun Microsystems  
Sun Blade 1000 Model 2900

SPECint\_rate2000 = 10.7

SPECint\_rate\_base2000 = 9.97

SPEC license #: 6 Tested by: Sun Microsystems, Palo Alto Test date: Sep-2000 Hardware Avail: Dec-2000 Software Avail: Oct-2000

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	406	7.99	2	397	8.18
175.vpr	2	373	8.71	2	349	9.32
176.gcc	2	229	11.1	2	226	11.3
181.mcf	2	416	10.0	2	384	10.9
186.crafty	2	228	10.2	2	208	11.1
197.parser	2	435	9.60	2	402	10.4
252.eon	2	278	10.8	2	269	11.2
253.perlbnk	2	398	10.5	2	379	11.0
254.gap	2	383	6.66	2	375	6.81
255.vortex	2	330	13.4	2	276	16.0
256.bzip2	2	306	11.4	2	277	12.5
300.twolf	2	630	11.1	2	591	11.8

### Hardware

CPU: UltraSPARC-III  
CPU MHz: 900  
FPU: Integrated  
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip  
CPU(s) orderable: 1-2  
Parallel: No  
Primary Cache: 32KBI+64KBD on chip  
Secondary Cache: 8MB(I+D) off chip  
L3 Cache: None  
Other Cache: None  
Memory: 1GB  
Disk Subsystem: 1 x 18GB  
Other Hardware: --

### Software

Operating System: Solaris 8 update 2  
Compiler: Forte Developer 6 update 1  
File System: UFS  
System State: single user

## Notes/Tuning Information

Portability: 252.eon: -library=iostream,no%Cstd

Base C flags: -fast -xcrossfile -xprofile

Base C++ flags: -fast -xcrossfile -xprofile MATHLIBOPT=

### Peak:

164.gzip: -fast -xalias\_level=std -xcrossfile -W2,-whole -xprofile

175.vpr: -fast -xalias\_level=std -xcrossfile -xdepend -xregs=syst -W2,-whole -xprofile -lmopt

176.gcc: -fast -xcrossfile -W2,-whole -Wc,-Qgsched-trace\_late=1,-Qgsched-T4 -xprofile

181.mcf: -fast -xcrossfile -xdepend -Wc,-Qgsched-trace\_late=1,-Qgsched-T4 -xsafe=mem -xprofile

186.crafty: -fast -xcrossfile -Wc,-Qgsched-trace\_late=1,-Qgsched-T4 -xalias\_level=strong -xregs=syst -xchip=ultra2 -xprofile

197.parser: -fast -xcrossfile -xdepend -xregs=syst -Wc,-Qgsched-trace\_late=1,-Qgsched-T4 -xalias\_level=strong -xprofile

252.eon: -fast -xcrossfile -xsafe=mem -Qoption iropt -Mt500,-restrict\_g,-restrict -Qoption cg -Qgsched-trace\_late=1,-Qgsched-T4 -xprofile -lmopt



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Sun Microsystems  
Sun Blade 1000 Model 2900

SPECint\_rate2000 = 10.7  
SPECint\_rate\_base2000 = 9.97

SPEC license #: 6 | Tested by: Sun Microsystems, Palo Alto | Test date: Sep-2000 | Hardware Avail: Dec-2000 | Software Avail: Oct-2000

## Notes/Tuning Information (Continued)

```
253.perlbnk: -fast -Wc,-Qgsched-trace_late=1,-Qgsched-T4,-Qgsched-trace_spec_load=1
             -xcrossfile -xalias_level=std -xsafe=mem -xprofile
254.gap: -fast -xarch=v8 -W2,-crit,-whole -xcrossfile -Wc,-Qiselect-funcalign=32
          -xalias_level=std -xprofile
255.vortex: -fast -xsafe=mem -xcrossfile -W2,-Aheap,-reroll=1,-Aunroll,-Ms1,-Mt500,-Mr6000,-crit
            -Wc,-Qdepgraph-early_cross_call=1 -Wc,-Qiselect-funcalign=32 -Wc,-Qpeep-Sh0
            -xrestrict -xdepend -Wc,-Qgsched-trace_late=1,-Qgsched-T4 -xprofile
256.bzip2: -fast -xarch=v8 -W2,-Abopt -xcrossfile -xalias_level=strong -Wc,-Qiselect-funcalign=32
            -xdepend -xregs=syst -xprofile
300.twolf: -fast -xalias_level=strong -W2,-whole -xsafe=mem -xprofile
```

Note: ONESTEP=yes in base and peak for all benchmarks.

Note: Forte Developer 6 update 1 patches include:

109505-08,109508-04,109513-06

For results with recommended patch 111228-01 and obp 4.0.40 (or later),  
see publication in July-2001