



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (2.0A GHz, Pentium 4 processor)

SPECfp2000 = 743

SPECfp_base2000 = 732

SPEC license #: 13 Tested by: Intel Corporation Test date: Nov-2001 Hardware Avail: Jan-2002 Software Avail: Oct-2001

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	163	980	162	987	
171.swim	3100	243	1275	240	1291	
172.mgrid	1800	253	710	247	730	
173.applu	2100	268	784	263	799	
177.mesa	1400	170	824	169	828	
178.galgel	2900	310	936	307	944	
179.art	2600	499	521	488	533	
183.quake	1300	166	785	159	817	
187.facerec	1900	207	920	205	926	
188.ammmp	2200	463	475	457	481	
189.lucas	2000	205	975	205	975	
191.fma3d	2100	321	654	321	654	
200.sixtrack	1100	301	365	288	381	
301.apsi	2600	455	572	455	572	

Hardware

CPU: Pentium 4 processor (2.0A GHz, 400 MHz bus)
 CPU MHz: 2000
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip
 CPU(s) orderable: 1
 Parallel: No
 Primary Cache: 12k micro-ops I + 8KBD on chip
 Secondary Cache: 512KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 256 MB (2 128 MB PC800 RDRAM non-ECC modules)
 Disk Subsystem: IBM DTLA-307030 ATA-100
 Other Hardware: None

Software

Operating System: Windows XP Professional(Build 2600)
 Compiler: Intel C++ Compiler 5.0.1 Build 010525Z
 Intel Fortran Compiler 5.0.1 Build 010525Z
 Microsoft Visual C++ 6.0 SP5(for libraries)
 File System: FAT32
 System State: Default

Notes/Tuning Information

```
+FDO: PASS1= -Qprof_gen PASS2=-Qprof_use
Base tuning: -Qipo -QxW -O3 +FDO
Portability:
178.galgel: -FI /F32000000
Peak tuning:
168.wupwise: -Qipo -QxW -O3 +FDO
171.swim: -Qipo -QxW -O3 +FDO
172.mgrid: -Qipo -QaxW -O3 +FDO
173.applu: -Qipo -QxW -O3 -Qscalar_rep- -Qauto +FDO
177.mesa: -Qipo -Oa -QxW -O3 +FDO
178.galgel: -Qipo -QxW -O3 +FDO
179.art: -Qipo -QxW -O3 -Oa +FDO
183.quake: -Qipo -QxW -Oa -Qrcd +FDO
187.facerec: -Qipo -QxW -O3 +FDO
188.ammmp: -Qipo -QxW -O3 -Oa +FDO
189.lucas: -Qipo -QxW -O3 +FDO
191.fma3d: -Qipo -QxW -O3 +FDO
```



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (2.0A GHz, Pentium 4 processor)

SPECfp2000 = 743

SPECfp_base2000 = 732

SPEC license #: 13 | Tested by: Intel Corporation | Test date: Nov-2001 | Hardware Avail: Jan-2002 | Software Avail: Oct-2001

Notes/Tuning Information (Continued)

200.sixtrack: -Qipo -QxW +FDO

301.apsi: -Qipo -QxW -O3 +FDO

Tested systems can be used with Shin-G ATX case, Delta Inc. power supply PS-300GB-1 B

Product description located as of 1/2002:

<http://developer.intel.com/design/motherbd/md/index.htm>

Motherboard ordering information is available at:

<http://program.intel.com/shared/products/boards/D850MD/index.htm>

The system bus runs at 400 MHz